ITCB-DV HV (High Volume)

35.0" x 24.3" x 10.0" (88.9cm x 61.7cm x 25.4cm)





- Sleek modernized design language, with rounded angles on the corners and trunk
- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Dual voltage adaptable (can operate at 120V/15 amp or 120/208-240V/20 amp)
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Includes overlay kit for customization of brewer interface
- Hot water faucet (supplied for custom installation) Agency:





Additional Features

Specifications

Product #: 52300.0100
Water Access: Plumbed

Interface: Wireless Finish: Stainless

Electrical & Capacity

	1 7									
Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz	
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60	
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	3	60	
120/240	17	4050	-	N/A	181	60°F (15.5°C)	1	3	60	

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	3/8" Male Flare Fitting	1.25		

CAD Drawings


2D	Revit	KLC
•		


Created on:

11/15/2018



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.





Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	10.0 in.	35.0 in.	24.3 in.	10.0 in.	35.1 in.	23.4 in.	58.360 lbs	4.745 ft³
Metric	25.4 cm	88.9 cm	61.7 cm	25.4 cm	89.1 cm	59.4 cm	26.472 kgs	0.134 m³



Related Products & Accessories: ITCB-DV HV (High Volume) (52300.0100)





Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)



TD4T, SIGHT GAUGE NUDGER HDL

Product #:03250.0004



TD4T,BREW THRU LID NUDGER HDL

Product #:03250.0005



TD4T, BREW THRU LID NO DECAL NUDGER HDL

Product #:03250.0018



TD4T, W/ LIFT HANDLE

Product #:03250.0042



TD4T, W/BREW THRU LID & LIFT HANDLE

Product #:03250.0043



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR, BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK 1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



TDO-N-3.5. RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/ PINCH TUBE

Product #:39600.0047



CARAFE, SST 1.9L SHRT BLK 1/

Product #:40163.0000



WIRING HARN, COMPR **CAPACITOR**

Product #:40613.0001



TF SERVER, DSG2 1G/3.8L

Product #:42700.0000



TF SERVER, DSG2 1G/3.8L BLK

Product #:42700.0001



TF SERVER, DSG2 1G

Product #:42700.0003



TF SERVER, DSG2 1G BLK CD

Product #:42700.0004



TF SERVER, DSG2 1.5G

Product #:42750.0000



TF SERVER, DSG2 1.5G

Product #:42750.0001



TF SERVER, DSG2 1.5G CD

Product #:42750.0003



TF SERVER, DSG2 1.5G BLK CD

Product #:42750.0010



TD3T-N, RSVR BREW THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID LID BUNN

Product #:43900.0002



TF SERVER, 1G/3.8L MECH

Product #:44000.0000

Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)



TF SERVER, 1G/3.8L MECH BLK

Product #:44000.0001



TF SERVER, 1.5G/5.7L MECH

Product #:44050.0000



TF SERVER, 1.5G/5.7L MECH BLK

Product #:44050.0001

