SINGLE GPR 120V

31.3" x 24.3" x 9.4" (79.5cm x 61.7cm x 23.9cm)

- Each 1.5GPR portable server (included) has a Safety-Fresh® brew-through lid with vapor seal and spill protection
- Adjustable bypass ensures perfect coffee regardless of batch size
- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- SplashGard® funnel deflects hot liquids away from the hand



Agency:

Faucet: Upper





Specifications

Product #: 23050.0007

Water Access: Plumbed

Interface: Cabled Finish: Stainless

Funnel: Stainless Steel

Additional Features

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	17.8	2100	Yes	NEMA 5-20P	85	60°F (15.5°C)	1	2	60

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				

CAD Drawings


2D	Revit	KLC		
•				

Created on:

01/12/2018



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	9.4 in.	31.3 in.	24.3 in.	12.6 in. in.	32.3 in. in.	29.9 in. in.	56.650 lbs	6.450 ft ³
Metric	23.9 cm	79.5 cm	61.7 cm	32.0 cm cm	82.0 cm cm	75.9 cm cm	25.696 kgs	0.183 m³



Related Products & Accessories: SINGLE GPR 120V(23050.0007)





RWS1, 120V-SATIN NKL LEGS

Product #: 12203.0014



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



FUNNEL ASSY, SST (DUAL/SGL)

Product #: 20201.1201



DRIP TRAY KIT,SINGLE STD & SH

Product #: 26830.0000









Serving & Holding Options: SINGLE GPR 120V(23050.0007)







