ICB-DV Tall Platinum Edition, 120V

Height: 35.0" Width: 10.2" Depth: 22.1" (88.9cm) (25.9cm) (56.1cm)





- Produce fresh cold brew in minutes with the new Cold Brew mode, enabling operators to brew an on-demand batch of concentrate or ready-to-drink cold brew quickly and consistently with operational ease
- Add Bubble Tea to the menu with the new Bubble Tea Kit (54165.1018)
- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- The Infusion Series® Platinum Edition relies on the powerful duo of the Peak Extraction Sprayhead and SmartWAVE® technology to further enhance the uniformity of extraction and resistance to limescale buildup.
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon)
 Thermofresh servers
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Electronic funnel lock prevents removal of the brew funnel until drip-through is complete
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Optional BUNNlink® remote monitoring support (kit required)

Agency:





Specifications

Product #: 53300.0101

Water Access: Plumbed Interface: Wireless

Finish: Stainless

Additional Features

BrewWISE

Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ² O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|------------------|------------|------------------------------|---------------------------------|-------|------------------------|-------|
| 120 | 14 | 1700 | Yes | NEMA 5-15P | 82 | 60°F (15.5°C) | 1 | 2 | 60 |
| 120/208 | 14 | 2900 | - | N/A | 136 | 60°F (15.5°C) | 1 | 3 | 60 |
| 120/240 | 17 | 4050 | - | N/A | 181 | 60°F (15.5°C) | 1 | 3 | 60 |

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


| r ramonig respansing | | | | | | | |
|----------------------|---------|-------------------------|---------------------------|--|--|--|--|
| PSI kPa | | Fitting Supplied | Water Flow Required (GPM) | | | | |
| 20-90 | 138-621 | 3/8" Male Flare Fitting | 1.00 | | | | |


CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
| • | | |

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov







| Unit | | | | Shipping | | | | |
|---------|----------|----------|----------|----------|----------|----------|------------|------------|
| | Height | Width | Depth | Height | Width | Depth | Weight | Volume |
| English | 35.0 in. | 10.2 in. | 22.1 in. | 38.1 in. | 14.3 in. | 32.3 in. | 60.656 lbs | 10.139 ft³ |
| Metric | 88.9 cm | 25.9 cm | 56.1 cm | 96.8 cm | 36.2 cm | 81.9 cm | 27.514 kgs | 0.287 m³ |




Related Products & Accessories: ICB-DV Tall Platinum Edition, 120V(53300.0101)






























Serving & Holding Options: ICB-DV Tall Platinum Edition, 120V(53300.0101)



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



STAND ASSY, TF SERVER

Product #:39795.0003



TF SERVER, DSG2 1G SST NOBASE

Product #:42700.0050



TF SERVER, DSG2 1G **BLK NOBASE**

Product #:42700.0051



TF SERVER, 1G DSG GEN3

Product #:42700.0200



TF SERVER, DSG2 1.5G SST NOBAS

Product #:42750.0050



TF SERVER, 1.5G DSG GEN3

Product #:42750.0200



TF SERVER, 1G/3.8L MECH NOBASE

Product #:44000.0050



TF SERVER, 1G/3.8L MECH BLK NOBASE

Product #:44000.0051



TF SERVER, 1G MECH GEN3

Product #:44000.0200



TF SERVER, 1.5G MECH GEN3

Product #:44050.0200



STAND ASSY, TF **SERVER**

Product #:54473.0000



STAND ASSY KIT, TF **SERVER**

Product #:54473.1000